

压缩弹簧



~ 目录 ~

外径 : $\Phi 2.0 \sim \Phi 3.5\text{mm}$ 自由高度 : $4.0\text{mm} \sim 20.0\text{mm}$ 5页			
外径 : $\Phi 2.0$ 	外径 : $\Phi 2.5$ 	外径 : $\Phi 3.0$ 	外径 : $\Phi 3.5$
			H 4.0mm
			20.0mm
外径 : $\Phi 4.0 \sim \Phi 4.5\text{mm}$ 自由高度 : $6.5\text{mm} \sim 23.0\text{mm}$ 6页			
外径 : $\Phi 4.0$ 	外径 : $\Phi 4.5$ 	外径 : $\Phi 5.0$ 	
			H 6.5mm
			23.0mm
外径 : $\Phi 5.0 \sim \Phi 6.0\text{mm}$ 自由高度 : $7.0\text{mm} \sim 30.0\text{mm}$ 7页			
外径 : $\Phi 5.0$ 	外径 : $\Phi 5.5$ 	外径 : $\Phi 6.0$ 	
			H 7.0mm
			30.0mm
外径 : $\Phi 6.5 \sim \Phi 7.0\text{mm}$ 自由高度 : $8.5\text{mm} \sim 32.0\text{mm}$ 8页			
外径 : $\Phi 6.5$ 	外径 : $\Phi 7.0$ 		
			H 8.5mm
			32.0mm
外径 : $\Phi 7.5 \sim \Phi 8.0\text{mm}$ 自由高度 : $11.0\text{mm} \sim 34.0\text{mm}$ 9页			
外径 : $\Phi 7.5$ 	外径 : $\Phi 8.0$ 	外径 : $\Phi 8.5$ 	
			H 11.0mm
			38.0mm
外径 : $\Phi 8.5 \sim \Phi 9.5\text{mm}$ 自由高度 : $9.0\text{mm} \sim 39.0\text{mm}$ 10页			
外径 : $\Phi 9.0$ 	外径 : $\Phi 9.5$ 		
			H 9.0mm
			39.0mm
外径 : $\Phi 10.0\text{mm}$ 自由高度 : $12.0\text{mm} \sim 41.0\text{mm}$ 11页			
外径 : $\Phi 10.0$ 			
			H 12.0mm
			41.0mm

~ 步骤 ~
 将你的弹簧与上面的表相比较，
 参照外径的尺寸及自由高度的长度，
 去看相应的那一页。



压缩弹簧 Helical Compression Spring

材质：SUS304WPB

应对 RoHS 指令的产品





















按弹簧外径尺寸排列 $\Phi 2.0 \sim \Phi 3.5\text{mm}$

实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数 个/包
	$\Phi 2.0$	0.23	5.5	0.579	C121	20
		0.2	6.0	0.314	C106	
		0.23	10.0	0.284	C113	
		0.2	12.0	0.157	C112	
	$\Phi 2.5$	0.23	4.0	0.588	C114	
		0.2	4.5	0.324	C102	
		0.2	7.0	0.206	C107	
		0.2	8.0	0.177	C103	
		0.26	9.0	0.373	C129	
		0.23	12.0	0.275	C122	
		0.26	17.0	0.196	C135	
	$\Phi 3.0$	0.23	7.0	0.235	C108	
		0.32	7.0	0.785	C142	
		0.29	9.0	0.412	C136	
		0.35	9.5	0.765	C150	
		0.2	11.0	0.098	C104	
		0.23	13.0	0.118	C109	
	$\Phi 3.5$	0.26	5.5	0.392	C115	
		0.29	6.0	0.196	C125	
		0.26	10.0	0.196	C116	
		0.4	10.0	0.922	C159	
		0.29	12.0	0.245	C130	
		0.23	13.0	0.108	C110	
		0.26	13.0	0.157	C117	
		0.20	15.0	0.059	C101	
		0.3	20.0	0.098	C118	

压缩弹簧 Helical Compression Spring

材质：SUS304WPB
应对 RoHS 指令的产品





























按弹簧外径尺寸排列 $\Phi 4.0 \sim \Phi 4.5\text{mm}$

实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数 个/包
	$\Phi 4.0$	0.32	6.5	0.559	C138	20
		0.35	6.5	0.755	C143	
		0.29	10.0	0.255	C126	
		0.5	11.0	1.481	C177	
		0.32	12.0	0.275	C137	
		0.45	12.0	0.932	C170	
		0.35	13.0	0.353	C145	
		0.26	15.0	0.118	C119	
		0.23	16.0	0.069	C105	
		0.29	19.0	0.127	C127	
	0.5	23.0	0.696	C183		
	$\Phi 4.5$	0.4	7.0	0.912	C151	20
		0.32	10.0	0.284	C131	
		0.35	10.0	0.382	C140	
		0.55	12.0	1.500	C184	
		0.6	12.0	2.089	C193	
		0.40	14.0	0.422	C153	
		0.29	16.0	0.127	C123	
		0.35	18.0	0.196	C141	
		0.32	19.0	0.147	C132	

压缩弹簧 Helical Compression Spring

材质：SUS304WPB
应对 RoHS 指令的产品

按弹簧外径尺寸排列 $\Phi 5.0 \sim \Phi 6.0\text{mm}$
















实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数个/包
	$\Phi 5.0$	0.5	7.5	1.687	C175	20
		0.45	8.0	1.069	C161	
		0.4	10.0	0.500	C147	
		0.5	13.0	0.843	C173	
		0.65	13.0	2.187	C201	
		0.7	13.0	2.883	C205	
		0.45	14.0	0.530	C160	
		0.35	16.0	0.196	C139	
		0.32	17.0	0.147	C133	
		0.26	19.0	0.069	C111	
		0.29	20.0	0.088	C120	
		0.4	20.0	0.255	C152	
		0.32	30.0	0.078	C128	
	$\Phi 5.5$	0.55	7.0	1.853	C169	20
		0.45	11.0	0.608	C156	
		0.55	14.0	0.922	C178	
		0.4	16.0	0.275	C146	
		0.32	21.0	0.098	C124	
		0.45	21.0	0.304	C157	
		0.40	26.0	0.167	C148	
	$\Phi 6.0$	0.6	8.5	1.883	C182	20
		0.5	12.0	0.716	C165	
		0.8	16.0	2.785	C213	
		0.45	17.0	0.323	C155	
		0.6	17.0	0.883	C188	
		0.35	23.0	0.108	C134	
		0.5	23.0	0.363	C167	
		0.65	29.0	0.667	C198	

压缩弹簧 Helical Compression Spring

材质：SUS304WPB

应对 RoHS 指令的产品

按弹簧外径尺寸排列 $\Phi 6.5 \sim \Phi 7.0\text{mm}$

















实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数 个/包
	$\Phi 6.5$	0.65	8.5	2.187	C191	20
		0.7	8.5	2.815	C196	
		0.55	12.0	0.824	C171	
		0.7	16.0	1.412	C202	
		0.65	17.0	1.020	C194	
		0.9	17.0	3.560	C217	
		0.50	18.0	0.412	C162	
		0.4	22.0	0.167	C144	
		0.55	22.0	0.441	C174	
		0.5	29.0	0.245	C163	
		0.45	32.0	0.157	C154	
		0.7	32.0	0.706	C207	
	$\Phi 7.0$	0.6	14.0	0.941	C186	10
		1.0	18.0	4.413	C221	
		0.6	23.0	0.500	C181	

压缩弹簧 Helical Compression Spring

材质：SUS304WPB

应对 RoHS 指令的产品















按弹簧外径尺寸排列 $\Phi 7.5 \sim \Phi 8.0\text{mm}$

实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数个/包	
	$\Phi 7.5$	0.7	12.0	1.461	C192	20	
		0.65	13.0	1.059	C185		
		0.6	19.0	0.569	C179		
		0.8	19.0	1.559	C209		
		0.55	20.0	0.392	C166		
		0.7	23.0	0.775	C199		
		0.65	24.0	0.559	C189		
		0.45	26.0	0.167	C149		
		0.6	29.0	0.343	C176		
		0.55	33.0	0.235	C168		
		0.8	34.0	0.834	C212		
	$\Phi 8.0$	0.8	11.0	2.511	C208	10	
		0.65	20.0	0.647	C190		
		1.2	22.0	5.953	C225		
		0.5	26.0	0.216	C158		20
		0.65	32.0	0.382	C187		

压缩弹簧 Helical Compression Spring

材质：SUS304WPB
应对 RoHS 指令的产品

按弹簧外径尺寸排列 $\Phi 8.5 \sim \Phi 9.5\text{mm}$









实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数个/包
	$\Phi 8.5$	0.9	11.0	3.423	C210	20
		0.7	19.0	0.794	C195	
		0.9	21.0	1.706	C215	
		0.55	26.0	0.265	C164	
		0.7	34.0	0.431	C197	
		0.9	38.0	0.922	C216	
	$\Phi 9.0$	0.8	9.0	2.550	C200	10
		1.0	11.0	4.472	C218	
		1.0	21.0	2.236	C219	
		0.8	23.0	0.853	C204	20
		1.4	25.0	7.512	C226	10
		0.6	26.0	0.314	C172	20
		1.0	39.0	1.206	C220	10
	$\Phi 9.5$	0.65	27.0	0.941	C180	20

压缩弹簧 Helical Compression Spring

材质：SUS304WPB

应对 RoHS 指令的产品

按弹簧外径尺寸排列 $\Phi 10.0\text{mm}$

实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数 个/包
	$\Phi 10.0$	1.2	12.0	6.963	C222	10
		0.9	17.0	1.657	C211	20
		0.8	21.0	0.853	C203	
		1.20	23.0	3.481	C224	10
		1.60	28.0	9.512	C227	
		0.90	31.0	0.873	C214	
		0.8	38.0	0.481	C206	
		1.2	41.0	1.863	C223	

拉伸弹簧



~ 目录 ~





















外径：Φ2.0 ~ Φ2.5mm 	自由高度：6.8mm ~ 22.6mm 13页
外径：Φ3.2mm 	自由高度：9.5mm ~ 27.7mm 14页
外径：Φ4.0mm 	自由高度：11.6mm ~ 24.2mm 15页
外径：Φ4.0 ~ Φ5.0mm 	自由高度：14.9mm ~ 38.4mm 16页
外径：Φ5.0 ~ Φ6.3mm 	自由高度：18.7mm ~ 46.7mm 17页
外径：Φ6.3mm 	自由高度：22.3mm ~ 46.4mm 18页
外径：Φ6.3 ~ Φ8.0mm 	自由高度：24.3mm ~ 61.1mm 19页
外径：Φ8.0mm 	自由高度：38.7mm ~ 76.7mm 20页
外径：Φ10.0mm 	自由高度：31.7mm ~ 104.7mm 21页

拉伸弹簧 Helical Extension

材质：SUS304WPB

应对 RoHS 指令的产品

























按弹簧外径尺寸排列 $\Phi 2.0 \sim \Phi 2.5\text{mm}$

实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数 个/包
	$\Phi 2.0$	0.2	6.8	0.147	E521	20
		0.2	8.6	0.094	E522	
		0.2	11.6	0.059	E523	
		0.2	16.2	0.038	E524	
	$\Phi 2.5$	0.2	7.9	0.071	E509	
		0.23	8.3	0.128	E525	
		0.26	8.6	0.218	E541	
		0.29	9.0	0.352	E565	
		0.2	9.7	0.045	E510	
		0.23	10.4	0.082	E526	
		0.26	11.0	0.140	E542	
		0.29	11.6	0.225	E566	
		0.2	12.7	0.028	E511	
		0.23	13.8	0.052	E527	
		0.26	14.9	0.087	E543	
		0.29	16.0	0.141	E567	
		0.2	17.3	0.018	E512	
		0.23	19.1	0.032	E528	
		0.26	20.9	0.056	E544	
		0.29	22.6	0.089	E568	

拉伸弹簧 Helical Extension

材质：SUS304WPB
应对 RoHS 指令的产品

按弹簧外径尺寸排列 $\Phi 3.2\text{mm}$

























实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数个/包
	$\Phi 3.2$	0.2	9.5	0.031	E501	20
		0.23	9.8	0.057	E513	
		0.26	10.2	0.096	E529	
		0.29	10.5	0.154	E545	
		0.32	10.9	0.235	E569	
		0.2	11.3	0.021	E502	
		0.35	11.3	0.347	E581	
		0.23	11.9	0.037	E514	
		0.26	12.5	0.062	E530	
		0.29	13.2	0.099	E546	
		0.32	13.8	0.151	E570	
		0.2	14.3	0.013	E503	
		0.35	14.4	0.223	E582	
		0.23	15.3	0.024	E515	
		0.26	16.4	0.038	E531	
		0.29	17.5	0.062	E547	
		0.32	18.6	0.094	E571	
		0.2	18.9	0.008	E504	
		0.35	19.7	0.139	E583	
		0.23	20.6	0.015	E516	
	0.26	22.4	0.025	E532		
	0.29	24.2	0.039	E548		
	0.32	26.0	0.060	E572		
	0.35	27.7	0.088	E584	10	

拉伸弹簧 Helical Extension

材质：SUS304WPB

应对 RoHS 指令的产品

按弹簧外径尺寸排列 $\Phi 4.0\text{mm}$

实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数个/包
	$\Phi 4.0$	0.23	11.6	0.028	E505	20
		0.26	11.9	0.047	E517	
		0.29	12.3	0.075	E533	
		0.32	12.7	0.114	E549	
		0.35	13.0	0.166	E561	
		0.4	13.6	0.294	E585	
		0.23	13.7	0.018	E506	
		0.45	14.2	0.491	E601	
		0.26	14.3	0.030	E518	
		0.29	14.9	0.047	E534	
		0.5	14.9	0.782	E621	
		0.32	15.6	0.073	E550	
		0.35	16.2	0.106	E562	
		0.23	17.1	0.011	E507	
		0.4	17.2	0.188	E586	
		0.26	18.2	0.019	E519	
		0.45	18.3	0.315	E602	
		0.29	19.3	0.030	E535	
		0.5	19.4	0.500	E622	
		0.32	20.4	0.045	E551	
		0.35	21.4	0.066	E563	
		0.23	22.4	0.007	E508	
		0.4	23.2	0.118	E587	
	0.26	24.2	0.012	E520		

拉伸弹簧 Helical Extension

材质：SUS304WPB

应对 RoHS 指令的产品

按弹簧外径尺寸排列 $\Phi 4.0 \sim \Phi 5.0\text{mm}$

实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数/包
	Φ4.0	0.45	25.0	0.196	E603	10
		0.29	25.9	0.019	E536	20
		0.5	26.9	0.313	E623	10
		0.32	27.7	0.028	E552	20
		0.35	29.5	0.042	E564	20
		0.4	32.6	0.075	E588	10
		0.45	35.4	0.125	E604	
		0.5	38.4	0.198	E624	
	Φ5.0	0.32	14.9	0.055	E537	20
		0.35	15.2	0.079	E553	
		0.4	15.8	0.141	E573	
		0.45	16.4	0.233	E589	
		0.5	17.1	0.369	E609	
		0.55	17.7	0.557	E629	
		0.32	17.8	0.035	E538	
		0.6	18.3	0.816	E641	
		0.35	18.4	0.052	E554	
		0.4	19.4	0.090	E574	
		0.45	20.5	0.149	E590	
		0.5	21.6	0.235	E610	

拉伸弹簧 Helical Extension

材质：SUS304WPB

应对 RoHS 指令的产品

按弹簧外径尺寸排列 $\Phi 5.0 \sim \Phi 6.3\text{mm}$

实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数/包	
	$\Phi 5.0$	0.32	22.6	0.023	E539	20	
		0.55	22.6	0.356	E630		
		0.35	23.6	0.031	E555		
		0.6	23.0	0.523	E642		
		0.4	25.4	0.057	E575	10	
		0.45	27.2	0.093	E591		
		0.5	29.1	0.147	E611	10	
		0.32	29.9	0.014	E540	20	
		0.55	30.9	0.224	E631	10	
		0.35	31.7	0.021	E556	20	
		0.6	32.7	0.327	E643	10	
		0.4	34.6	0.036	E576	20	
		0.45	37.6	0.059	E592	10	
		0.5	40.6	0.093	E612		
		0.55	43.5	0.141	E632		
		0.6	46.7	0.207	E644		
		$\Phi 6.9$	0.4	18.7	0.067	E557	20
			0.45	19.3	0.110	E577	
	0.5		19.9	0.172	E597		
	0.55		20.5	0.258	E613		
	0.6		21.1	0.375	E625		
	0.65		21.7	0.532	E637		

拉伸弹簧 Helical Extension

材质：SUS304WPB

应对 RoHS 指令的产品

按弹簧外径尺寸排列 $\Phi 6.3\text{mm}$

实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数个/包
	$\Phi 6.3$	0.4	22.3	0.043	E558	20
		0.7	22.3	0.733	E649	10
		0.45	23.4	0.071	E578	20
		0.8	23.5	1.321	E653	10
		0.5	24.4	0.110	E598	
		0.55	25.5	0.166	E614	
		0.6	26.5	0.240	E626	
		0.65	27.6	0.340	E638	20
		0.4	28.3	0.026	E559	
		0.7	28.6	0.470	E650	10
		0.45	30.1	0.044	E579	20
		0.8	30.7	0.845	E654	10
		0.5	31.9	0.069	E599	
		0.55	33.7	0.103	E615	
		0.6	35.5	0.15	E627	
		0.65	37.3	0.212	E639	20
		0.4	37.5	0.018	E560	
		0.7	39.1	0.293	E651	10
		0.45	40.5	0.028	E580	
		0.8	42.7	0.528	E655	
	0.5	43.4	0.044	E600		
	0.55	46.4	0.066	E616		

拉伸弹簧 Helical Extension

材质：SUS304WPB

应对 RoHS 指令的产品

按弹簧外径尺寸排列 $\Phi 6.3 \sim \Phi 8.0\text{mm}$

实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数个/包
	$\Phi 6.3$	0.6	49.3	0.095	E628	10
		0.65	52.3	0.134	E640	
		0.7	55.2	0.186	E652	
		0.8	61.1	0.335	E656	
	$\Phi 8.0$	0.55	24.3	0.119	E593	10
		0.6	24.9	0.172	E605	20
		0.65	25.5	0.241	E617	10
		0.7	26.1	0.331	E633	
		0.9	28.5	0.984	E657	
		0.55	29.2	0.076	E594	
		1.0	29.7	1.563	E661	
		0.6	30.3	0.11	E606	
		0.65	31.3	0.155	E618	
		0.7	32.4	0.212	E634	
		0.9	36.6	0.629	E658	
		0.55	37.6	0.047	E595	

拉伸弹簧 Helical Extension

材质：SUS304WPB

应对 RoHS 指令的产品

按弹簧外径尺寸排列 $\Phi 8.0\text{mm}$

实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数 个/包
	$\Phi 8.0$	1.0	38.7	1.000	E662	5
		0.6	39.3	0.069	E607	10
		0.65	41.1	0.096	E619	
		0.7	42.9	0.132	E635	
		0.55	50.1	0.030	E596	5
		0.9	50.1	0.393	E659	
		0.6	53.1	0.044	E608	10
		1.0	53.7	0.626	E663	5
		0.65	56.0	0.061	E620	10
		0.7	59.0	0.084	E636	10
		0.9	70.8	0.250	E660	5
		1.0	76.7	0.397	E664	5

拉伸弹簧 Helical Extension

材质：SUS304WPB

应对 RoHS 指令的产品

按弹簧外径尺寸排列 $\Phi 10.0\text{mm}$

实物尺寸相片	弹簧外径 (mm)	弹簧丝直径 (mm)	自由高度 (mm)	弹簧系数 (N/mm)	编号	包装个数个/包
	$\Phi 10.0$	0.8	31.7	0.282	E645	10
		1.2	36.5	1.632	E665	5
		0.8	38.9	0.180	E646	10
		1.4	38.9	3.236	E669	5
		1.2	47.3	1.044	E666	5
		0.8	50.9	0.114	E647	10
		1.4	51.5	2.069	E670	5
		1.2	65.3	0.653	E667	5
		0.8	69.3	0.072	E648	10
		1.4	72.5	1.294	E671	5
	$\Phi 10.0$	1.2	92.9	0.415	E668	5
	$\Phi 10.0$	1.4	104.7	0.824	E672	5